

## BIBLIOGRAFÍA Y LECTURAS RECOMENDADAS

- Als, H. Toward a synactive theory of development: Promise for the assessment and support of infant individuality. *Infant Ment. Health J.* 1982, 3: 229-243.
- Blázquez García, MJ. Lenguaje sano para acompañar a las madres durante la lactancia materna. *Medicina naturista.* 2006; 10: 186-189.
- Breastfeeding and the Use of Human Milk. (*AAP. Pediatrics* 2012;129:e827–e841)
- Brenda S. Lessen, PhD, RN. Effect of the Premature Infant Oral Motor. Intervention on Feeding Progression and Length of stay in Preterm Infants. *Advances in Neonatal Care.* Vol II Nº 2 pp129-139
- Cattaneo A, Tambourlini G. Statement of the Workshop on the Kangaroo Mother Method for Low Birth Weight Infants. Trieste (Italy). 1996 (letter). *Lancet.*
- Citrinovitz, V. Capacitación para formadores en lactancia materna. En: Elsevier (ed). *Lactancia materna*; 2004. p. 562-589.
- De Carvalho, M., Robertson, S., Friedman, A., & Klaus, M. (1983). Effect of frequent breast-feeding on early milk production and infant weight gain. *pediatrics*, 72(3), 307-311.
- De la Flor López, M. Anatomía del amamantamiento. En: Aguayo Maldonado J., Gómez Papí A., editores. *Manual de Lactancia Materna. De la teoría a la práctica.* Editorial médica panamericana; 2008. p.55-60.
- Eichenwald EC, Blackwell M, Lloyd JS, Tran T, Walker RE, Richardson DK. Inter-neonatal intensive care unit variation in discharge timing:

influence of apnea and feeding management.

Pediatrics.2001;108:928-33.

-Enteral Nutrient Supply for Preterm Infants: Commentary from the ESPGHAN Committee on Nutrition. (Agostoni C, et al. JPGN 2010; 50: 85–91).

-[Feeding practices with human milk in newborns less than 1.500 g or less than 32 weeks].Alonso-Díaz C, Utrera-Torres I, de Alba-Romero C, Flores-Antón B, López-Maestro M, Lora-Pablos D, Pallás-Alonso CR.An Pediatr (Barc). 2016 Jul;85(1):26-33. doi:

10.1016/j.anpedi.2015.08.013. Epub 2015 Oct 12.PMID: 26458522

- Fenton TR, Tough SC, Belik J. Breast milk supplementation for preterm infants: parental preferences and postdischarge lactation duration. American journal of perinatology, 2000. 17(6):329-33.

- Fucile S, Gisel E, Lau C. Oral stimulation accelerates the transition from tube to oral feeding in preterm infants. Journal of Pediatrics. 2002;141(2):230–6.

-Guía de Práctica Clínica sobre lactancia materna. Ministerio de Sanidad, Servicios Sociales e Igualdad. 2017.

- Greene Z, O'Donnell CPF, Walshe M. Oral stimulation for promoting oral feeding in preterm infants. Cochrane Database Syst Rev. 2016; 9.CD009720.

-Griffiths N, Spence K, Loughran-Fowlds A, Westrup B. Individualised developmental care for babies and parents in the NICU: Evidence-based best practice guideline recommendations. Early Hum Dev. 2019 Dec;139:104840. doi: 10.1016/j.earlhumdev.2019.104840. Epub 2019 Aug 21. PMID: 31445697.

- Haines H, Rubertsson, C., Pallant, J. F., & Hildingsson. The influence of women's fear, attitudes and beliefs of childbirth on mode and experience of birth. BMC Pregnancy and Childbirth 2012, 12-55
- Hill, P. D., & Aldag, J. C. (2005). Milk volume on day 4 and income predictive of lactation adequacy at 6 weeks of mothers of nonnursing preterm infants. The Journal of perinatal & neonatal nursing, 19(3), 273-282.
- Karen E, Rajiv B. Optimal Feeding of Low-Birth-Weight Infants. Technical Review. 2006 [Accessed 2015 25.02]. Geneva, Switzerland: World Health Organization.
- Kuschel CA, Harding JE. Multicomponent fortified human milk for promoting growth in preterm infants. The Cochrane database of systematic reviews, 2004(1):CD000343.
- Lasby K, Dressler-Mund D. Making the Literatura Palatable at the Bedside. Advances in Neonatal Care 2011; 11(1):17-24
- Lemons PK, Lemons JA. Transition to breast/bottle feedings: the premature infant. Journal of the American College of Nutrition. 1996; 15(2):126- 35.
- Lucas A, Cole TJ. Breast milk and neonatal necrotising enterocolitis. Lancet 1990; 336:1519-1523.
- Lucas A, Morley R, Cole TJ et al. Breast milk and subsequent intelligence quotient in children born preterm. Lancet 1992; 339:261-264.
- Lucas A, Brook OG, Cole TJ et al. Early diet of preterm infants and development of allergic or atopic disease: randomised prospective study. Br Med J 1990; 300:837-840.

- Martín-Calama Valero J. Fisiología de la lactancia. En: Aguayo Maldonado J., Gómez Papí A., editores. Manual de Lactancia Materna. De la teoría a la práctica. Editorial médica panamericana; 2008. p.60-68.
- McGrath JM, Braescu AV. State of the science: feeding readiness in the preterm infant. Journal of Perinatal and Neonatal Nursing.2004; 18(4):353-68.
- Mitha A, Piedvache A, Glorieux I, Zeitlin J, Roué JM, Blondel B, Durox M, Burguet A, Kaminski M, Ancel PY, Pierrat V; EPIPAGE-2 Neurodevelopmental Care Writing Group. Unit policies and breast milk feeding at discharge of very preterm infants: The EPIPAGE-2 cohort study. Paediatr Perinat Epidemiol. 2019 Jan;33(1):59-69. doi: 10.1111/ppe.12536. PMID: 30698887.
- Moore K, Perseaud T. Embriología clínica. 6º ed. México:McGraw-Hill Ineramericana;2001.p.550-1.
- Morton J, Hall J, Wong R, Thairu L, Benitz W, Rhine W. Combining hand techniques with electric pumping increases milk production in mothers of preterm infants. J Perinatol 2009 oct;29(11):757-764.
- Nyqvist KH, Maastrup R, Hansen MN, Haggkvist AP, Hannula L, Ezeonodo A, Kylberg E, Frandsen AL, Haiek LN. Neo-BFHI: The Baby-friendly Hospital Initiative for Neonatal Wards. Core document with recommended standards and criteria. Nordic and Quebec Working Group; 2015.Lucas A, Cole TJ. Breast milk and neonatal necrotising enterocolitis. Lancet 1990; 336:1519-1523.

-Ohyama, M., Watabe, H., & Hayasaka, Y. (2010). Manual expression and electric breast pumping in the first 48 h after delivery. *Pediatrics international*, 52(1), 39-43

-O'Brien K, Bracht M, Macdonell K, McBride T, Robson K, O'Leary L, Christie K, Galarza M, Dicky T, Levin A, Lee SK. A pilot cohort analytic study of Family Integrated Care in a Canadian neonatal intensive care unit. *BMC Pregnancy Childbirth*. 2013;13 Suppl 1(Suppl 1):S12. doi: 10.1186/1471-2393-13-S1-S12. Epub 2013 Jan 31. PMID: 23445639; PMCID: PMC3561192.

- O'Connor DL et al. Effect of supplemental donor human milk compared with preterm formula on neurodevelopment of very low-birth-weight infants at 18 months: a randomized clinical trial. *JAMA* 2016 Nov 8;316(18):1897-1905)

-Parker, L. A., Sullivan, S., Krueger, C., & Mueller, M. (2015). Association of timing of initiation of breastmilk expression on milk volume and timing of lactogenesis stage II among mothers of very low-birth-weight infants. *Breastfeeding Medicine*, 10(2), 84-91.

- Quigley M, McGuire W. Formula versus donor breast milk for feeding preterm or low birth weight infants. *The Cochrane database of systematic reviews*, 2014. 4:CD002971.

-Roué JM, Kuhn P, Lopez Maestro M, Maastrup RA, Mitanchez D, Westrup B, Sizun J. Eight principles for patient-centred and family-centred care for newborns in the neonatal intensive care unit. *Arch Dis Child Fetal Neonatal Ed*. 2017 Jul;102(4):F364-F368. doi: 10.1136/archdischild-2016-312180. Epub 2017 Apr 18. PMID: 28420745.

- Rønnestad A, Abrahamsen TG, Medbø S, Reigstad H, Lossius K, Kaaresen PI, et al. Lateonset septicemia in a Norwegian national cohort of extremely premature infants receiving very early full human milk feeding. *Pediatrics*, 2005. 115(3):e269-e76.
- Suzanne M. Thoyre et al. The Early Feeding Skills Assessment for Preterm Infants. *Neonatal Netw.* 2005; 24(3):7-16
- Simpson C, Schanler RJ, Lau C. Early introduction of oral feeding in the preterm infants. *Pediatrics*.2002;110(3):517-22.
- Thoyre SM, Shaker CS, Pridham KF. The early feeding skills assessment for preterm infants. *Neonatal Netw.* 2005 May-Jun;24(3):7-16. doi: 10.1891/0730-0832.24.3.7. PMID: 15960007; PMCID: PMC2828611.
- Westrup B. Family-centered developmentally supportive care. *NeoReviews* August 2014, 15 (8) e325-e335; DOI: <https://doi.org/10.1542/neo.15-8-e325>.
- World Health Organization, UNICEF. Global strategy for infant and young child feeding. 2003 [Accessed 2015 25.02]. Geneva, Switzerland: World Health Organization.
- Younesian S, Yadegari F, Soleimani F. Impact of oral sensory motor stimulation on feeding performance, length of hospital stay, and weight gain of preterm infants in NICU. *Iran Red Crescent Medical Journal.* 2015;17(7):1–6.