

FAMILY INTEGRATED CARE, LA FAMILIA COMO CENTRO DEL CUIDADO NEONATAL

Enlaces de interés

<http://familyintegratedcare.com>

Bibliografía

- Levin A. The Mother-Infant unit at Tallinn Children's Hospital, Estonia: a truly baby-friendly unit. *Birth*. 1994 Mar;21(1):39-44, discussion 45-6. doi: 10.1111/j.1523-536x.1994.tb00914.x.
- O'Brien K, Bracht M, Macdonell K, McBride T, Robson K, O'Leary L, et al. A pilot cohort analytic study of family integrated care in a Canadian neonatal intensive care unit. *BMC Pregnancy Childbirth*. (2013) 13 (Suppl.1):S12. doi: 10.1186/1471-2393-13-S1-S12
- Waddington C, Van Veenendaal N.R, O'Brien K, Patel N, International Committee for Family Integrated Care. Family integrated care: Supporting parents as primary caregivers in the neonatal intensive care unit. *Pediatr Investig*. 2021 Jun 18;5(2):148-154. doi: 10.1002/ped4.12277
- van Veenendaal NR, van der Schoor SRD, Heideman WH, Rijnhart JJM, Heymans MW, Twisk JWR, et al. Family integrated care in single family rooms for preterm infants and late-onset sepsis: a retrospective study and mediation analysis. *Pediatr Res*. (2020) 88:593–600. doi: 10.1038/s41390-020-0875-9
- Örténstrand A, Westrup B, Broström EB, Sarman I, Åkerström S, Brune T, et al. The Stockholm neonatal family centered care study: effects on length of stay and infant morbidity. *Pediatrics*. (2010) 125:e278–85. doi: 10.1542/peds.2009-1511
- Banerjee J, Aloysius A, Mitchell K, Silva I, Rallis D, Godambe S V, et al. Improving infant outcomes through implementation of a family integrated care bundle including a parent supporting mobile application. *Arch Dis Child Fetal Neonatal Ed*. (2020) 105:F172–7. doi: 10.1136/archdischild-2018-316435
- Hei M, Gao X, Li Y, Gao X, Li Z, Xia S, et al. Family integrated care for preterm infants in China: a cluster randomized controlled trial. *J Pediatr*.(2021) 228:36–43.e2. doi: 10.1016/j.jpeds.2020.09.006
- He S, Xiong Y, Zhu L, Gao X, Xiong H, Wang H, et al. Impact of family integrated care on infants' clinical outcomes in two children's hospitals in China: a pre-post intervention study. *Italian Journal of Pediatrics* (2018) 44:65. doi: 10.1186/s13052-018-0506-9
- Church P, Grunau R, Mirea L, Petrie J, Soraisham A, Synnes A, et al. Family Integrated Care (FICare): Positive impact on behavioural outcomes at 18 months. *Early Hum Dev*. 2020 Dec;151:105196. doi: 10.1016/j.earlhumdev.2020.105196.
- Synnes A, Petrie J, Grunau R, Church P, Kelly E, Moddemann D, et al. Family integrated care: very preterm neurodevelopmental outcomes at 18 months. *Arch Dis Child Fetal Neonatal Ed*. 2022 Jan;107(1):76-81. doi: 10.1136/archdischild-2020-321055.
- Murphy M, Shah V, Benzie K. Effectiveness of Alberta Family-Integrated Care on Neonatal Outcomes: A Cluster Randomized Controlled Trial. *J Clin Med*. 2021 Dec 14;10(24):5871. doi: 10.3390/jcm10245871.
- Benzie Karen, Aziz K, Shah V, Faris P, Isaranuwatthai W, Scotland J, et al. Effectiveness of Alberta Family Integrated Care on infant length of stay in level II neonatal intensive

care units: a cluster randomized controlled trial. *BMC Pediatrics* (2020) 20:535. doi.org/10.1186/s12887-020-02438-6

- Moe A, Kurilova J, Afzal A, Benzies K. Effects of Alberta Family Integrated Care (FICare) on Preterm Infant Development: Two Studies at 2 Months and between 6 and 24 Months Corrected Age. *J Clin Med*. 2022 Mar 18;11(6):1684. doi: 10.3390/jcm11061684.
- Malouf R, Harrison S, Burton H, Gale C, Stein A, Franck L, et al. Prevalence of anxiety and post-traumatic stress (PTS) among the parents of babies admitted to neonatal units: A systematic review and meta-analysis. *EClinicalMedicine*. 2021 Dec 21;43:101233. doi: 10.1016/j.eclinm.2021.101233. eCollection 2022 Jan.
- van Veenendaal N, van der Schoor S, Broekman B, Groof F, van Laerhoven H, van den Heuvel M, et al. Association of a Family Integrated Care Model With Paternal Mental Health Outcomes During Neonatal Hospitalization. *JAMA Netw Open*. 2022 Jan 4;5(1):e2144720. doi: 10.1001/jamanetworkopen.2021.44720.
- Grupo de Trabajo en FICare. "Un Mundo Creado para Mí. La Familia Integrada en los Cuidados". Monografía FICare, Servicio de Neonatología Hospital Universitario La Paz, Madrid. ISBN: 978-84-09-03008-8
- Miles M.S, Holditch-Davis D. Parenting the prematurely born child: pathways of influence. *Semin Perinatol*. 1997 Jun;21(3):254-66. doi: 10.1016/s0146-0005(97)80067-5.
- Miles M.S, Funk S.G, Carlson J. Parental Stressor Scale: neonatal intensive care unit. *Nurs Res*. May-Jun 1993;42(3):148-52.
- Bonacquisti A, Geller P.A, Patterson C.A. Maternal depression, anxiety, stress, and maternal-infant attachment in the neonatal intensive care unit. *J Reprod Infant Psychol*. 2020 Jul;38(3):297-310. doi: 10.1080/02646838.2019.1695041.
- Greene M.M, Rossman B, Meier P, Patra K. Elevated maternal anxiety in the NICU predicts worse fine motor outcome in VLBW infants. *Early Hum Dev*. 2018 Jan;116:33-39. doi: 10.1016/j.earlhumdev.2017.10.008.
- Cheng C, Franck L, Ye X.Y, Hutchinson S.A, Lee S.K, O'Brien K. Evaluating the effect of Family Integrated Care on maternal stress and anxiety in neonatal intensive care units. *J Reprod Infant Psychol*. 2021 Apr;39(2):166-179. doi: 10.1080/02646838.2019.1659940.
- Shaw R.J, Bernard R.S, Deblois T, Ikuta L.M, Ginzburg K, Koopman C. The relationship between acute stress disorder and posttraumatic stress disorder in the neonatal intensive care unit. *Psychosomatics*. Mar-Apr 2009;50(2):131-7. doi: 10.1176/appi.psy.50.2.131.
- Kersting A, Dorsch M, Wesselmann U, Lüdorff K, Witthaut J, Ohrmann P, et al. Maternal posttraumatic stress response after the birth of a very low-birth-weight infant. *J Psychosom Res*. 2004 Nov;57(5):473-6. doi: 10.1016/j.jpsychores.2004.03.011.
- Sharp M, Huber N, Ward L.G, Dolbier C. NICU-Specific Stress Following Traumatic Childbirth and Its Relationship With Posttraumatic Stress. *J Perinat Neonatal Nurs*. 2021 Jan-Mar 01;35(1):57-67. doi: 10.1097/JPN.0000000000000543.
- Corlett J, Twycross A. Negotiation of parental roles within family-centred care: A review of the research. *J Clin Nurs*. 2006 Oct;15(10):1308-16. doi: 10.1111/j.1365-2702.2006.01407.x

- Hynan MT, Steinberg Z, Baker L, Cicco R, Geller PA, Lassen S, et al. Recommendations for mental health professionals in the NICU. *Journal of Perinatology* (2015) 35, S14–S18; doi:10.1038/jp.2015.144
- Moreno-Sanz B, Montes MT, Antón M, Serrada MT, Cabrera M, Pellicer A. Scaling Up the Family Integrated Care Model in a Level IIIC Neonatal Intensive Care Unit: A Systematic Approach to the Methods and Effort Taken for Implementation. *Front Pediatr*. 2021 Jun 9;9:682097. doi: 10.3389/fped.2021.682097. eCollection 2021.
- Wreesmann W, Lorié E.S, van Veenendaal N.R, van Kempen A, Ket J, Labrie N. The functions of adequate communication in the neonatal care unit: A systematic review and meta-synthesis of qualitative research. *Patient Educ Couns*. 2021 Jul;104(7):1505-1517. doi: 10.1016/j.pec.2020.11.029.
- Franck L, Waddington C, O'Brien K. Family Integrated Care for preterm infants. *Crit Care Nurs Clin North Am*. 2020 Jun;32(2):149-165. doi: 10.1016/j.cnc.2020.01.001.