



BIBLIOGRAFÍA CUIDADO CANGURO

Acuña-Muga J, Ureta-Velasco N, de la Cruz-Bértolo J, Ballesteros-López R, Sánchez-Martínez R, Miranda-Casabona E, Miguel-Trigoso A, García-San José L, Pallás-Alonso C. Volume of milk obtained in relation to location and circumstances of expression in mothers of very low birth weight infants. *J Hum Lact.* 2014 Feb;30(1):41-6. doi: 10.1177/0890334413509140. Epub 2013 Nov 8. PMID: 24212300.

Badiee Z, Faramarzi S, MiriZadeh T. The effect of kangaroo mother care on mental health of mothers with low birth weight infants. *Adv Biomed Res.* 2014 Oct 20;3:214. doi: 10.4103/2277-9175.143262. PMID: 25371871; PMCID: PMC4219210

Bastani F, Rajai N, Farsi Z, Als H. The Effects of Kangaroo Care on the Sleep and Wake States of Preterm Infants. *J Nurs Res.* 2017 Jun;25(3):231-239. doi: 10.1097/JNR.000000000000194. PMID: 28481819.

Bisanalli S et al KMC in Hospitalized LBW Infants on Respiratory Support Liza Cooper et al *Advances in Neonatal Care* • Vol. 14, No. 6 • pp. 410-423

Cadwell K, Brimdyr K, Phillips R. Mapping, Measuring, and Analyzing the Process of Skin-to-Skin Contact and Early Breastfeeding in the First Hour After Birth. *Breastfeed Med.* 2018 Sep;13(7):485-492.

Camba F, Céspedes MC, Jordán R, Gargallo E, Perapoch J. Extubación electiva durante el contacto piel con piel en el prematuro extremo [Elective extubation during skin-to-skin contact in the extremely premature newborn]. *An Pediatr (Barc).* 2016 May;84(5):289-91. Spanish. doi: 10.1016/j.anpedi.2015.07.017. Epub 2015 Aug 20. PMID: 26299385.

Casper C, Sarapuk I, Pavlyshyn H. Regular and prolonged skin-to-skin contact improves short-term outcomes for very preterm infants: A dose-dependent intervention. *Arch Pediatr.* 2018 Nov;25(8):469-475. doi: 10.1016/j.arcped.2018.09.008. Epub 2018 Oct 16. PMID: 30340943.

Cattaneo A, Davanzo R, Uxa F, Tamburlini G. Recommendations for the implementation of Kangaroo Mother Care for low birthweight infants. International Network on Kangaroo Mother Care. *Acta Paediatr.* 1998 Apr;87(4):440-5. doi: 10.1080/08035259850157066. PMID: 9628303.

Charpak N, Tessier R, Ruiz JG, Hernandez JT, Uriza F, Villegas J, et al. Twenty-year Follow-up of Kangaroo Mother Care Versus Traditional Care. *Pediatrics.* 2017 Jan;139(1). pii: e20162063. doi: 10.1542/peds.2016-2063.

Chiruvolu A, Miklis KK, Stanzo KC, Petrey B, Groves CG, McCord K, et al. Effects of Skin-to-Skin Care on Late Preterm and Term Infants At-Risk for Neonatal Hypoglycemia. *Pediatr Qual Saf.* 2017 Jun 20;2(4):e030. doi:10.1097/pq9.000000000000030.

Chiu S, Anderson GC, Burkhammer MD. Skin-to-skin contact for culturally diverse women having breastfeeding difficulties during early postpartum. *Breastfeeding Medicine*, 2008;3(4), 231–237.



BIBLIOGRAFÍA CUIDADO CANGURO

Conde-Agudelo A, Díaz-Rossello JL. Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. Cochrane Database of Systematic Reviews 2016, Issue 8. Art. No.: CD002771. DOI: 10.1002/14651858.CD002771.pub4

Cong X, Ludington-Hoe SM, McCain G, Fu P. Kangaroo Care modifies preterm infant heart rate variability in response to heel stick pain: pilot study. *Early Hum Dev.* 2009 Sep;85(9):561-7. doi: 10.1016/j.earlhumdev.2009.05.012. Epub 2009 Jun 7. PMID: 19505775; PMCID: PMC2742959

Crenshaw JT. Healthy birth practice #6: keep mother and baby together— it's best for mother, baby, and breastfeeding. *J Perinat Educ.* 2014;23 (4): 211-217.

Eidelman AI, Schanler RJ; Section on Breastfeeding. Breastfeeding and the use of human milk [Internet]. *Pediatrics.* 2012;129(3). Available at:www.pediatrics.org/cgi/content/full/129/3/e827. Accessed 11 October 2019.

Elliott-Carter N, Harper J. Keeping mothers and newborns together after cesarean: how one hospital made the change. *Nurs Womens Health.*2012;16(4):290–295

Feldman-Winter L, Goldsmith JP, Watterberg KL, Cummings JJ, Benitz WE, Eichenwald EC, et al. Safe Sleep and Skin-to-Skin Care in the Neonatal Period for Healthy Term Newborns. *Pediatrics.* 2016 Sep;138(3). pii: e20161889. doi:10.1542/peds.2016-1889. Epub 2016 Aug 22.

Feldman R, Eidelman AI, Sirota L, Weller A. Comparison of skin-to-skin (kangaroo)and traditional care: parenting outcomes and preterm infant development. *Pediatrics.* 2002;110(1 pt 1):16–26

Feldman R, Rosenthal Z, Eidelman AI. Maternal-preterm skin-to-skin contact enhances child physiologic organization and cognitive control across the first 10 years of life. *Biol Psychiatry.* 2014 Jan 1;75(1):56-64. doi: 10.1016/j.biopsych.2013.08.012. Epub 2013 Oct 4. PMID: 24094511.

Ferber SG, Makhoul IR. Neurobehavioral assessment of skin-to-skin effects on reaction to pain in preterm infants: a randomized, controlled within-subject trial. *Acta Paediatr.* 2008 Feb;97(2):171-6. doi: 10.1111/j.1651-2227.2007.00607.x. Epub 2008 Jan 3. PMID: 18177441.

Fundación Canguro. Red Internacional de Cuidados Madre Canguro:<http://www.fundacioncanguro.co/>

Gathwala G, Singh B, Singh J. Effect of Kangaroo Mother Care on physical growth,breastfeeding and its acceptability. *Trop Doct.* 2010 Oct;40(4):199-202.

Goldsmith JP. Hospitals should balance skin-to-skin contact with safe sleep policies. *AAP News.* 2013;34(11):22
Harrison TM, Chen CY, Stein P, Brown R, Heathcock JC. Neonatal Skin-to-Skin Contact: Implications for Learning and Autonomic Nervous System Function in Infants With Congenital Heart Disease. *Biol Res Nurs.* 2019 May;21(3):296-306. doi: 10.1177/1099800419827599. Epub 2019 Feb 5. PMID: 30722675.



BIBLIOGRAFÍA CUIDADO CANGURO

Huang X, Chen L, Zhang L. Effects of Paternal Skin-to-Skin Contact in Newborns And Fathers After Cesarean Delivery. *J Perinat Neonatal Nurs.* 2019 Jan/Mar;33(1):68-73.

Ionio C, Ciuffo G, Landoni M. Parent-Infant Skin-to-Skin Contact and Stress Regulation: A Systematic Review of the Literature. *Int J Environ Res Public Health.* 2021 Apr 28;18(9):4695. doi: 10.3390/ijerph18094695. PMID: 33924970; PMCID: PMC8124223.

Johnston C, Campbell-Yeo M, Fernandes A, Inglis D, Streiner D, Zee R. Skin-to-skin care for procedural pain in neonates. *Cochrane Database Syst Rev.* 2014;1:CD008435 pmid:24459000

Karimi A, Bagheri S, Khadivzadeh T, Mirzaii NK. The effect of an interventional program, based on the theory of Ethology, on breastfeeding competence of infants. *Iran J Neonatol.* 2014;5 (3):10-12.

Karimi F, Sadeghi R, Maleki-Saghooni N, Khadivzadeh T. The effect of mother infant skin to skin contact on success and duration of first breastfeeding: Asystematic review and meta-analysis. *Taiwan J Obstet Gynecol.* 2019 Jan;58(1):1-

Karlsson V, Heinemann AB, Sjörs G, Nykvist KH, Agren J. Early skin-to-skin care in extremely preterm infants: thermal balance and care environment. *J Pediatr.* 2012 Sep;161(3):422-6. doi: 10.1016/j.jpeds.2012.02.034. Epub 2012 Apr 11. PMID: 22497906.

Karlsson V, Heinemann AB, Sjörs G, Nykvist KH, Agren J. Early skin-to-skin care in extremely preterm infants: thermal balance and care environment. *J Pediatr.* 2012 Sep;161(3):422-6. doi: 10.1016/j.jpeds.2012.02.034. Epub 2012 Apr 11. PMID: 22497906.

Kenaley KM, Rickolt AL, Vandersteur DA, Ryan JD, Stefano JL. An intervention to decrease time to parents' first hold of infants in the Neonatal Intensive Care Unit requiring respiratory support. *J Perinatol.* 2020 May;40(5):812-819. doi: 10.1038/s41372-019-0569-5. Epub 2020 Jan 7. PMID: 31911648; PMCID: PMC7223435.

Khadivzadeh T, Karimi FZ, Tara F, Bagheri S. The effect of postpartum mother infant skin-to-skin contact on exclusive breastfeeding in neonatal period: randomized controlled trial. *Int J Pediatr* 2016;4(5):5409e17.

Keshavarz M, Bolbol HN. Effects of kangaroo contact on some physiological parameters in term neonates and pain score in mothers with cesarean section. *Koomesh.* 2010;11(2):91–8.

La Leche League International. Skin-to-Skin Care. Raleigh: La Leche League International; 2019. Available at: <https://www.llli.org/breastfeeding-info/skinskin-care/>. Accessed 13 October 2019

Lasiuk GC, Comeau T, Newburn-Cook C. Unexpected: an interpretive description of parental traumas' associated with preterm birth. *BMC Pregnancy Childbirth.* 2013;13 Suppl 1(Suppl 1):S13. doi: 10.1186/1471-2393-13-S1-S13. Epub 2013 Jan 31. PMID: 23445715; PMCID: PMC3561145.



BIBLIOGRAFÍA CUIDADO CANGURO

Ludington-Hoe SM, Ferreira C, Swinth J, Ceccardi JJ. Safe criteria and procedure for kangaroo care with intubated preterm infants. *J Obstet Gynecol Neonatal Nurs*. 2003 Sep-Oct;32(5):579-88. doi: 10.1177/0884217503257618. PMID: 14565736.

Ludington-Hoe SM, Morgan K. Infant assessment and reduction of sudden unexpected postnatal collapse risk during skin-to-skin contact. *Newborn Infant Nurs Rev*. 2014;14(1):28–33

Mahmood I, Jamal M, Khan N. Effect of mother-infant early skin-to-skin contact on breastfeeding status: a randomized controlled trial. *J Coll Physicians Surg Pak*. 2011;21(10):601-605

Maastrup R, Greisen G. Extremely preterm infants tolerate skin-to-skin contact during the first weeks of life. *Acta Paediatr*. 2010 Aug;99(8):1145-9. doi: 10.1111/j.1651-2227.2010.01806.x. Epub 2010 Mar 24. PMID: 20346075

Mekonnen AG, Yehualashet SS, Bayleyegn AD. The effects of kangaroo mother care on the time to breastfeeding initiation among preterm and LBW infants: meta-analysis of published studies. *Int Breastfeed J*. 2019 Feb 19;14:12. doi:10.1186/s13006-019-0206-0. eCollection 2019.

Mörelus E, Örténstrand A, Theodorsson E, Frostell A. A randomised trial of continuous skin-to-skin contact after preterm birth and the effects on salivary cortisol, parental stress, depression, and breastfeeding. *Early Hum Dev*. 2015;91(1):63–70

Moore ER, Anderson GC. Randomized controlled trial of very early mother-infant skin-to-skin contact and breastfeeding status. *J Midwifery Womens Health*. 2007;52(2):116–125

Moore ER, Bergman N, Anderson GC, Medley N. Early skin-to-skin contact for mothers and their healthy newborn infants. *Cochrane Database Syst Rev*. 2016 Nov 25;11:CD003519.

Nimbalkar SM, Patel VK, Patel DV, Nimbalkar AS, Sethi A, Phatak A. Effect of early skin-to-skin contact following normal delivery on incidence of hypothermia in neonates more than 1800 g: randomized control trial. *J Perinatol*. 2014;34(5):364–368

Nyqvist KH, Anderson GC, Bergman N, Cattaneo A, Charpak N, Davanzo R, Ewald U, Ibe O, Ludington-Hoe S, Mendoza S, Pallás-Alonso C, Ruiz Peláez JG, Sizun J, Widström AM. Towards universal Kangaroo Mother Care: recommendations and report from the First European conference and Seventh International Workshop on Kangaroo Mother Care. *Acta Paediatr*. 2010 Jun;99(6):820-6. doi: 10.1111/j.1651-2227.2010.01787.x. Epub 2010 Mar 6. PMID: 20219044.

Nyqvist KH; Expert Group of the International Network on Kangaroo Mother Care, Anderson GC, Bergman N, Cattaneo A, Charpak N, Davanzo R, Ewald U, Ludington-Hoe S, Mendoza S, Pallás-Alonso C, Peláez JG, Sizun J, Widström AM. State of the art and recommendations. *Kangaroo mother care: application in a high-tech*



BIBLIOGRAFÍA CUIDADO CANGURO

environment. *Acta Paediatr.* 2010 Jun;99(6):812-9. doi: 10.1111/j.1651-2227.2010.01794.x. Epub 2010 Mar 8. PMID: 20219028.

Nyqvist KH; Expert Group of the International Network on Kangaroo Mother Care, Anderson GC, Bergman N, Cattaneo A, Charpak N, Davanzo R, Ewald U, Ludington-Hoe S, Mendoza S, Pallás-Alonso C, Peláez JG, Sizun J, Widström AM. State of the art and recommendations. Kangaroo mother care: application in a high-tech environment. *Acta Paediatr.* 2010 Jun;99(6):812-9. doi: 10.1111/j.1651-2227.2010.01794.x. Epub 2010 Mar 8. PMID: 20219028.

Pados BF. Physiology of Stress and Use of Skin-to-Skin Care as a Stress-Reducing Intervention in the NICU. *Nurs Womens Health.* 2019 Feb;23(1):59-70. doi: 10.1016/j.nwh.2018.11.002. Epub 2018 Dec 25. PMID: 30590016.
Park J. Sleep Promotion for Preterm Infants in the NICU. *Nurs Womens Health.* 2020 Feb;24(1):24-35. doi: 10.1016/j.nwh.2019.11.004. Epub 2020 Feb 19. PMID: 32083554.

Renfrew MJ, Craig D, Dyson L, McCormick F, Rice S, King SE, Misso K, Stenhouse E, Williams AF. Breastfeeding promotion for infants in neonatal units: a systematic review and economic analysis. *Health Technol Assess.* 2009 Aug;13(40):1-146, iii-iv. doi: 10.3310/hta13400. PMID: 19728934.

Safari K, Saeed AA, Hasan SS, Moghaddam-Banaem L. The effect of mother and newborn early skin-to-skin contact on initiation of breastfeeding, newborn temperature and duration of third stage of labor. *Int Breastfeed J.* 2018 Jul16;13:32.

Saxton A, Fahy K, Rolfe M, Skinner V, Hastie C. Does skin-to-skin contact and breast feeding at birth affect the rate of primary postpartum haemorrhage: results of a cohort study. *Midwifery.* 2015;31(11):1110–1117

Sobel HL, Silvestre MA, Mantaring JB 3rd, Oliveros YE, Nyunt US. Immediate newborn care practices delay thermoregulation and breastfeeding initiation. *Acta Paediatr.* 2011 Aug;100(8):1127-33.

Stadd K, Diehl B, Yenokyan G, Aucott SW. A Kangaroo Care Pathway for NICU Staff and Families: The Proof Is in the Pouch. *Adv Neonatal Care.* 2020 Feb;20(1):14-24. doi: 10.1097/ANC.0000000000000667. PMID: 31764210.

Stevens J, Schmied V, Burns E, Dahlen H. Immediate or early skin-to-skin contact after a Caesarean section: a review of the literature. *Matern Child Nutr.* 2014;10(4):456–473

Takahashi Y, Tamakoshi K, Matsushima M, Kawabe T. Comparison of salivary cortisol, heart rate, and oxygen saturation between early skin-to-skin contact with different initiation and duration times in healthy, full-term infants. *Early Hum Dev.* 2011;87(3):151–157.

Tessuer R et al, Kangaroo Mother Care: A method for protecting high-risk low-birth-weight and premature infants against developmental delay. *Infant Behav Dev* 2003;26:384-97

Tharashree CD, Shrivani MR, Srinivasa S. The effect of kangaroo mother care(KMC) on breast feeding at the time of NICU discharge. *Int J Contemp Pediatr.* 2018;5(3):1068



BIBLIOGRAFÍA CUIDADO CANGURO

Thukral A, Sankar MJ, Agarwal R, Gupta N, Deorari AK, Paul VK. Early skin-to-skin contact and breast-feeding behavior in term neonates: a randomized controlled trial. *Neonatology*. 2012;102(2):114-119

Ullsten A, Andreasson M, Eriksson M. State of the Art in Parent-Delivered Pain-Relieving Interventions in Neonatal Care: A Scoping Review. *Front Pediatr*. 2021 Apr 27;9:651846. doi: 10.3389/fped.2021.651846. PMID: 33987153; PMCID: PMC8112545.

Unicef. Skin-to-Skin Contact [Internet]. United Kingdom: Unicef; 2019. Available from: <https://www.unicef.org.uk/babyfriendly/baby-friendlyresources/implementing-standards-resources/skin-to-skin-contact/>. Accessed 11

White RD. The newborn intensive care unit environment of care: how we got here, where we're headed, and why. *Semin Perinatol*. 2011 Feb;35(1):2-7. doi: 10.1053/j.semperi.2010.10.002. PMID: 21255701

WHO Immediate KMC Study Group, Arya S, Naburi H, Kawaza K, Newton S, Anyabolu CH, Bergman N, Rao SPN, Mittal P, Assenga E, Gadama L, Larsen-Reindorf R, Kuti O, Linnér A, Yoshida S, Chopra N, Ngarina M, Msusa AT, Boakye-Yiadom A, Kuti BP, Morgan B, Minckas N, Suri J, Moshiro R, Samuel V, Wireko-Brobby N, Rettedal S, Jaiswal HV, Sankar MJ, Nyanor I, Tiwary H, Anand P, Manu AA, Nagpal K, Ansong D, Saini I, Aggarwal KC, Wadhwa N, Bahl R, Westrup B, Adejuyigbe EA, Plange-Rhule G, Dube Q, Chellani H, Massawe A. Immediate "Kangaroo Mother Care" and Survival of Infants with Low Birth Weight. *N Engl J Med*. 2021 May 27;384(21):2028-2038. doi: 10.1056/NEJMoa2026486. PMID: 34038632.

World Health Organization. Evidence for the ten steps to successful breastfeeding [Internet]. Geneva, Switzerland: World Health Organization; 1998. Available at:www.who.int/nutrition/publications/evidence_ten_step_eng.pdf. Accessed 11 October 2019

World Health Organization. Kangaroo mother care: a practical guide [Internet]. Geneva, Switzerland: World Health Organization; 2003. Available at:<http://apps.who.int/iris/bitstream/10665/42587/1/9241590351.pdf>. Accessed 11 October 2019

Kangaroo Mother Care Method <https://www.youtube.com/watch?v=D11yu5sMq6w>
Pallás vídeo KMC y procedimientos
https://www.youtube.com/watch?v=2q_1bq_f3al